	Ty pe	Ref#	Hits	Search Text
1	BR S	S1		generating near3 pulses and reference near3 source and (program or programing) and parameters
2	BR S	S2		pulse near3 (generation or generating) and reference near3 (generator or signal or source) and angle near3 (source or generator or parameter or generation)
3	BR S	S3		pulse near3 (generation or generating) and reference near3 (generator or signal or source) and angle near3 (source or generator or parameter or generation) and (size or type) near3 parameter
4	BR S	S4	1	"5546909".PN.
5	BR S	<b>S</b> 7	1	"3935846".PN.
6	BR S	S8	1//	pulse near3 generating and parameter near3 (type and size)
7	BR S	<b>S</b> 6	1	"4320732".PN.
8	BR S	<b>S</b> 9	330	vehicle and phase and angle and timing and top and dead and center and reference and cam near shaft and cylinder and valve
9	BR S	S5	1	"4512317".PN.
10	BR S	S10	14	vehicle and phase and angle and timing and top and dead and center and reference and cam near shaft and cylinder and valve and pulse near3 generating

	Ty	Ref#	Hits	Search Text
11	BR S	S11	81	vehicle and phase and angle and timing and top and dead and center and reference and cylinder and valve and pulse near3 generating

	DBs	Time Stamp	lme	Er ror Def init ion	ror
1	US-PGPUB; USPAT; USOCR; EPO; JPO	2007/02/23 14:01			
2	US-PGPUB; USPAT; USOCR; EPO; JPO	2007/02/23 13:49			
3	US-PGPUB; USPAT; USOCR; EPO; JPO	2007/02/23 10:51			
4	USPAT; USOCR	2007/02/23 10:55			
5	USPAT; USOCR	2007/02/23 10:58			
6	US-PGPUB; USPAT; USOCR; EPO; JPO	2007/02/23 14:43			
7	USPAT; USOCR	2007/02/23 10:57			
8	US-PGPUB; USPAT; USOCR; EPO; JPO	2007/02/23 14:44			
9	USPAT; USOCR	2007/02/23 10:57			
10	US-PGPUB; USPAT; USOCR; EPO; JPO	2007/02/23 14:45			

	DBs	Time Stamp	m me nts	Er ror Def init ion	ror
11	US-PGPUB; USPAT; USOCR; EPO; JPO	2007/02/23 15:24			